

# T1240060S-23EB5 SPECIFICATIONS





- Constant Current LED Driver
- Multiple current selection through DIP Switch
- Output Current: 600, 550,500,450mA ±7%
- Output Wattage: 23W

•

- Inbuilt Surge protection 4KV
- Output voltage range of 24~38Vdc Suitable for Dry locations
- Application

٠

- Linear Lights \_ Architectural Lights

Flicker Free: O/P Ripple current ≤5% (LF <200Hz)

General Specifications				
Rated Input Voltage	220-240/240/230Vac,	220-240/240/230Vac,50/60Hz		
Operating Input Voltage Range	110-310Vac,50/60Hz			
Input Current	0.13A Max @Rated I/P Voltage			
Input Power	27W			
Power Factor	>0.95			
ATHD	<10%			
Efficiency	>85%			
Driver Type	Constant Current			
Output Current	600mA ±7%, 550mA ±	600mA ±7%, 550mA ±7%, 500mA ±7%, 450mA ±7%		
	*Refer DIP switch Table for O/P current selection			
Output Voltage Range	24~38Vdc			
Output Power	23W			
Number of Output Channels	1 Channel			
Dimming Controller Type/Dimming Range	NA			
Output Type	Class II			
Ambient Operating Temperature	-10°C to +50°C			
Max. Case Temperature	80°C Max.			
Input Surge Protection	Line-Neutral 4kV As per EN 61000-4-5			
Protections	Input Over Current	: NON-Resettable		
	Input Over Voltage	: Cutoff @ >300Vac, Auto recovery		
		Immunity - 300Vac for 48 hours & 440Vac for 8 hours		
	Input Under Voltage	: <100Vac, Auto recovery		
	Output Short Circuit	: Auto Recovery (HICCUP MODE)		
	Output Open Circuit	: Auto Recovery (HICCUP MODE)		
	Output Overload	: YES		
	Thermal Foldback	Thermal Foldback : YES		
Service Life	50,000 hours @ Tc Max			
Approvals / Class	SELV Equivalent, Dry Locations			
Warranty	3 Years			
Weight	0.140Kg			
DIP Switch Chart :				

I <sub>rated</sub> (mA)	DIP Switch		Prated (W)
	PIN 1	PIN 2	
600	ON	ON	22.8
550	ON	OFF	20.9
500	OFF	ON	19.0
450	OFF	OFF	17.1

Note : Suitable for Indoor application only - -

Fulham extends a limited warranty only to the original purchaser or to the first user for a period of <u>3 years @ Tc Max</u> from the date of manufacture when properly installed and operated under normal conditions of use. For complete terms and conditions, please reference the Fulham Product Catalog (www.fulham.com). Due to a program of continuous improvement, Fulham reserves the right to make modifications or variations in design or construction to the equipment described. © Fulham Company Limited, All Rights Reserved.



IP 20 RoHS SELV Equivalent


### Figure 1




Figure 3




## Figure 5








# Figure 4






Fulham extends a limited warranty only to the original purchaser or to the first user for a period of <u>3 years @ Tc Max</u> from the date of manufacture when properly installed and operated under normal conditions of use. For complete terms and conditions, please reference the Fulham Product Catalog (www.fulham.com). Due to a program of continuous improvement, Fulham reserves the right to make modifications or variations in design or construction to the equipment described. © Fulham Company Limited, All Rights Reserved.





#### Mechanical Data :



#### **Product Image**


Wiring Diagrams



#### Note : All Dimensions are in mm Tolerance=±0.5mm

NEGATIVE

-----



2 PIN	GREY	LINE
CONNECTOR	GREY	NEUTRAL
2 PIN	ORANGE	POSITIVE

GREY



Installation Instructions:

Connect Wires as per details given on the Driver Screen. Keep proper ventilation around the LED Driver and do not stack any object on it. Also a 10-15 cm clearance must be kept when the adjacent device is a heat source. Do not exceed the declared Hot spot temperature(Tc max) under any circumstances.

Fulham extends a limited warranty only to the original purchaser or to the first user for a period of <u>3 years @ Tc Max</u> from the date of manufacture when properly installed and operated under normal conditions of use. For complete terms and conditions, please reference the Fulham Product Catalog (www.fulham.com). Due to a program of continuous improvement, Fulham reserves the right to make modifications or variations in design or construction to the equipment described. © Fulham Company Limited, All Rights Reserved.

2023-10-30 Page - 3 of 3 RD-FR-032 / Rev.00