


T1240100S-38EB5 SPECIFICATIONS





I _{rated} (mA)	DIP Switch		Prated (W)
	PIN 1	PIN 2	T Taled (VV)
1000	ON	ON	38.0
950	ON	OFF	36.1
900	OFF	ON	34.2
850	OFF	OFF	32.3

Note : Suitable for Indoor application only


Fulham extends a limited warranty only to the original purchaser or to the first user for a period of <u>3 years @ Tc Max</u> from the date of manufacture when properly installed and operated under normal conditions of use. For complete terms and conditions, please reference the Fulham Product Catalog (www.fulham.com). Due to a program of continuous improvement, Fulham reserves the right to make modifications or variations in design or construction to the equipment described. © Fulham Company Limited, All Rights Reserved.



IP 20 COMPLIANT SELV Equivalent



Figure 1







Figure 5








Figure 4






Fulham extends a limited warranty only to the original purchaser or to the first user for a period of <u>3 years @ Tc Max</u> from the date of manufacture when properly installed and operated under normal conditions of use. For complete terms and conditions, please reference the Fulham Product Catalog (www.fulham.com). Due to a program of continuous improvement, Fulham reserves the right to make modifications or variations in design or construction to the equipment described. © Fulham Company Limited, All Rights Reserved.



T1240100S-38EB5 SPECIFICATIONS



Mechanical Data :




Product Image



Note : All Dimensions are in mm Tolerance=±0.5mm

NEGATIVE


Wiring Diagrams



2 PIN	GREY	LINE
CONNECTOR	GREY	NEUTRAL
2 PIN	ORANGE	POSITIVE

GREY

Packaging



Master carton

CONNECTOR

OUTER DIMENSION					
L	V		V	Н	
215mm	n 155		ōmm	140mm	
Net Weight	Gross Weight		QL	UANTITY	
3.75Kg		3.86Kg	30pc.		

Installation Instructions:

Connect Wires as per details given on the Driver Screen. Keep proper ventilation around the LED Driver and do not stack any object on it. Also a 10-15 cm clearance must be kept when the adjacent device is a heat source. Do not exceed the declared Hot spot temperature(Tc max) under any circumstances.

Fulham extends a limited warranty only to the original purchaser or to the first user for a period of <u>3 years @ Tc Max</u> from the date of manufacture when properly installed and operated under normal conditions of use. For complete terms and conditions, please reference the Fulham Product Catalog (www.fulham.com). Due to a program of continuous improvement, Fulham reserves the right to make modifications or variations in design or construction to the equipment described. © Fulham Company Limited, All Rights Reserved.

2024-03-06 Page - 3 of 3 RD-FR-032 / Rev.00